

1



Library

Dronfield Urban District Council

***Annual Report***

*on the*

***Health of Dronfield***

FOR THE YEAR

***1964***

*by*

David Patterson Adams, M.B., Ch.B., D.P.H.

MEDICAL OFFICER OF HEALTH

Manor House, High Street, Dronfield.

*Telephone* DRONFIELD 2461

Dan Newton, Whittington Moor Printing Works, Chesterfield



Dronfield Urban District Council

---

***Annual Report***

*on the*

***Health of Dronfield***

FOR THE YEAR

***1964***

*by*

David Patterson Adams, M.B., Ch.B., D.P.H.

MEDICAL OFFICER OF HEALTH

Manor House, High Street, Dronfield.

*Telephone* DRONFIELD 2461

## Dronfield U.D.C.

---

Mr. Chairman and Members,

I have pleasure in presenting the Annual Report to you for the year 1964.

The estimated population again shows an increase over the previous year's figure, the present population figure being 13,170 as against 12,740 for 1963.

The live birth rate of 25.89 per 1,000 population compares with the previous year's figure of 23.70 and the death rate per 1,000 living is 6.98 as compared with 6.75 for the previous year.

There were no maternal deaths in the district during the year.

The incidence of infectious diseases was low generally, but the increase in the incidence of Food Poisoning serves as a warning of the need for proper hygienic measures at all times.

The Public can help themselves in this respect by drawing attention to any faults they may observe.

Mr. Christopher J. Baxter who had been a pupil of the Public Health Inspector for the last four years, successfully passed his final examinations in the autumn.

It is creditable for a small authority to undertake training and is a practice which gives benefit to all concerned.

DAVID P. ADAMS,

*Medical Officer of Health.*

# Public Health Department

---

*Chairman of the Council*

COUNCILLOR ALFRED HOY, J.P.

*Chairman of the Health and Housing Committee*

COUNCILLOR GEOFFREY H. SPEED

*Members of the Health and Housing Committee*

Councillors

F. BROADHEAD

D. M. SCOTT

MRS. E. LENTHALL, J.P.

G. H. SPEED

A. K. NIXON

*Public Health Department Staff*

*Medical Officer of Health*

DAVID P. ADAMS, M.B., CH.B., D.P.H.

*Public Health Inspector*

ERIC M. HOUSECROFT, M.R.S.H., M.A.P.H.I.

*Pupil Public Health Inspector*

CHRISTOPHER J. BAXTER

*Clerk*

MRS. M. SPOTSWOOD

## Statistics

Area of District	3,452 acres	
Population (Register General's figure)	13,170	
Number of inhabited houses, flats and bungalows in the district	4,444	
Rateable Value (31/12/64)	£430,729	
Estimated Product of Penny Rate for the year ending 31/3/64	£1,610	
LIVE BIRTHS	<i>M</i>	<i>F</i>
Total	192	149
Legitimate	191	146
Illegitimate	1	3
Rate per 1,000 Population	25.89	
Illegitimate Live Births per cent of Total Live Births	1.17	
STILL BIRTHS		
Total	2	2
Legitimate	2	2
Illegitimate	—	—
Rate per 1,000 Total Live and Still Births	11.59	
TOTAL LIVE AND STILL BIRTHS	194	151
INFANT DEATHS UNDER 1 YEAR		
Total	—	3
Legitimate	—	3
Illegitimate	—	—
INFANT MORTALITY RATES		
Total Infant Deaths per 1,000 Total Live Births	8.79	
Legitimate Infant Deaths per 1,000 Legitimate Live Births	8.90	
Illegitimate Infant Deaths per 1,000 Illegitimate Live Births	—	
NEO-NATAL MORTALITY RATE		
(Deaths under 4 weeks per 1,000 Total Live Births)	5.86	
EARLY NEO-NATAL MORTALITY RATE		
(Deaths under 1 week per 1,000 Total Live Births)	2.93	
PERINATAL MORTALITY RATE		
(Stillbirths and Deaths under 1 week combined per 1,000 Total Live and Stillbirths)	14.49	
MATERNAL MORTALITY (including abortion) per 1,000 Live and Still Births	—	
DEATH RATE PER 1,000 LIVING	6.98	
DEATHS FROM MEASLES, ALL AGES	—	
DEATHS FROM WHOOPING COUGH, ALL AGES	—	

## Deaths in Age Groups, 1964

Age	Males	Females	Total
Under 4 weeks	—	2	2
4 weeks and under 1 year	—	1	1
1 - 4 years	—	1	1
5 - 14 years	1	—	1
15 - 24 years	1	1	2
25 - 34 years	1	2	3
35 - 44 years	2	—	2
45 - 54 years	7	—	7
55 - 64 years	10	4	14
65 - 74 years	9	16	25
75 years and over	18	16	34
	—	—	—
TOTAL	49	43	92

## Causes of Death

In the Dronfield District during 1964

	Males	Females	Total
Meningococcal Infections	—	1	1
Malignant neoplasm, lung, bronchus	1	—	1
Malignant neoplasm, breast	—	1	1
Malignant neoplasm, uterus	—	1	1
Other malignant and lymphatic neoplasms	4	6	10
Leukaemia, aleukaemia	1	—	1
Diabetes	1	1	2
Vascular lesions of nervous system	4	7	11
Coronary disease, angina	14	5	19
Hypertension with heart disease	1	1	2
Other heart disease	5	3	8
Other circulatory disease	1	3	4
Pneumonia	4	6	10
Bronchitis	5	1	6
Other diseases of respiratory system	—	1	1
Nephritis and Nephrosis	1	—	1
Hyperplasia of Prostate	2	—	2
Congenital malformations	1	1	2
Other defined and ill-defined diseases	2	5	7
Suicide	2	—	2
	—	—	—
TOTAL	49	43	92
	—	—	—



## Infectious Diseases, 1964

	Total Number Notified	Cases Admitted to Hospital
Scarlet Fever	21	—
Whooping Cough	1	1
Measles	160	5
Encephalitis Lethargica	—	—
Dysentery	4	—
Puerperal Pyrexia	—	—
Pneumonia	1	—
Food Poisoning	7	—
Erysipelas	—	—
Smallpox	—	—
Diphtheria	—	—
Enteric Fever	—	—
Meningococcal Infection	—	—
Poliomyelitis (Paralytic)	—	—
Poliomyelitis (Non-paralytic)	—	—
Ophthalmia Neonatorum	—	—

## National Heath Service Act, 1946 Immunisation Against Diphtheria

The number of persons immunised against Diphtheria  
in the Urban District during 1964 is as follows :—

Primary immunisations	290
Booster injections	66

## Tuberculosis Return for 1964

Age Period in years	NEW CASES				DEATHS			
			Non-				Non-	
	Pulmonary M	F	Pulmonary M	F	Pulmonary M	F	Pulmonary M	F
Under 1 year	—	—	—	—	—	—	—	—
1 year	—	—	—	—	—	—	—	—
2 - 4 years	—	—	—	—	—	—	—	—
5 - 9 years	—	1	—	—	—	—	—	—
10 - 14 years	—	—	—	—	—	—	—	—
15 - 19 years	—	—	—	—	—	—	—	—
20 - 24 years	—	—	—	—	—	—	—	—
25 - 34 years	1	1	—	1	—	—	—	—
35 - 44 years	—	1	—	—	—	—	—	—
45 - 54 years	1	—	—	—	—	—	—	—
55 - 64 years	1	—	—	—	—	—	—	—
65 - 74 years	—	—	—	—	—	—	—	—
75 and over	—	—	—	—	—	—	—	—
Age unknown	—	—	—	—	—	—	—	—
<i>Total all ages</i>	3	3	—	1	—	—	—	—



## Treatment Centre, Poolsbrook

### SCABIES

	Adults	5 - 15	Under 5	Total
Bolsover U.D.C. ....	7	7	2	16
Chesterfield Borough	—	—	—	—
Chesterfield R.D.C.	1	—	2	3
Clay Cross U.D.C. ....	—	—	—	—
Clowne R.D.C. ....	—	—	—	—
Dronfield U.D.C. ....	—	—	—	—
Staveley U.D.C. ....	—	—	—	—
	—	—	—	—
	8	7	4	19
	—	—	—	—

### HEAD LICE

Bolsover U.D.C. ....	—	—	—	—
Chesterfield Borough	—	—	—	—
Chesterfield R.D.C.	1	—	3	4
Clay Cross U.D.C. ....	—	—	—	—
Clowne R.D.C. ....	—	—	—	—
Dronfield U.D.C. ....	—	—	—	—
Staveley U.D.C. ....	—	—	—	—
	—	—	—	—
	1	—	3	4
	—	—	—	—

### SCABIES WITH VERMINOUS HEADS

Bolsover U.D.C. ....	—	—	—	—
Chesterfield Borough	—	—	—	—
Chesterfield R.D.C.	—	—	—	—
Clay Cross U.D.C. ....	—	—	—	—
Clowne R.D.C. ....	—	—	—	—
Dronfield U.D.C. ....	—	—	—	—
Staveley U.D.C. ....	—	—	—	—
	—	—	—	—
	—	—	—	—
	—	—	—	—
Diagnosis not confirmed	—			
Miscellaneous	—			
Pediculosis Corporis	—			
Pediculosis Pubis	—			
	—			
	—			
	—			

# North Derbyshire Water Board

## Report on the Water Supply to the Dronfield U.D.

The supplying authority to the area was the North Derbyshire Water Board.

The treatment plants at Barbrook and Smeekly provide the source of water to the area. Treatment involves metal removal and chlorination. Distribution is from covered service reservoirs.

The resultant quality of the supplied water is generally satisfactory.

Modifications in treatment at Barbrook have resulted in considerable reductions in complaints of "taste".

The quantity proved adequate for normal household purposes, although restrictions were imposed on the use of hose pipes.

Chemical and Bacteriological analyses are carried out in the Board's laboratories. All raw treated and distributed waters are examined at least monthly. The number of examinations involved in 1964 were:—

Bacteriological	250
Chemical	200

Bacteriological results on treated waters gave results consistent with standards laid down by the Ministry of Health.

Chemical results on treated waters in view of the two supply sources involved vary with location and approximate extremes of variation are:—

	pH	7.0	9.5
Alkalinity (CaCo <sub>3</sub> )	10	220 mg/1	
Hardness (CaCo <sub>3</sub> )	50	180 mg/1	
Chloride (Cl)	11	15 mg/1	
Fluoride (F)	<0.1	0.4 mg/1	

There was no evidence of plumbo solvent action in treated waters.

Before being brought into use all new mains were washed out and sterilized and samples taken to ensure satisfactory bacteriological and physical results were obtained.

No action was necessary in respect of any other form of post treatment contamination.

The waters were monitored for radioactivity.

Monthly reports of current bacteriological and physical results were forwarded to the Medical Officer of Health.

## **Supplies from Public Water Mains**

(i)	Number of houses on direct supply	4510
	Number of population served	13159
(ii)	Number of houses on stand pipes	1
	Number of population served	1

## **Sewerage and Sewage Disposal**

I wish to thank the Engineer and Surveyor for the following report:—"During the year sewer extension was carried out at Chesterfield Road, thus reducing the number of properties within the district served by cesspools. Sewer extensions were also carried out at Dronfield Woodhouse and at Lea Road, these being to relieve the existing systems which were inadequate.

During the year, the Council's Consulting Engineers have prepared a scheme for a main outfall sewer from Gosforth Valley and also for increasing the capacity of the main sewage disposal works at Dronfield. No work has yet been commenced on the pumping station at Coal Aston, but it is anticipated that work will commence during the early part of 1965".

## **Common Lodging Houses**

There are no common lodging houses in the district.

## **Dronfield Urban District Council**

### ***ANNUAL REPORT***

of the

### **Public Health Inspector**

**Eric M. Housecroft, M.R.S.H., M.A.P.H.I.**

**for the year ended 31st December, 1964.**

Mr. Chairman, Lady and Gentlemen,

Herewith my Annual Report on the work of the Health Department during the calendar year 1964.

## **Housing Act**

### **Slum Clearance**

The following list shows properties dealt with and the action taken in respect thereof:—

1. Numbers 35 and 37 Eckington Road, Coal Aston.  
Demolition Order made 26th April, 1964.
2. Numbers 113, 114 and 124 to 133 (inclusive) Sheffield Road, Dronfield.  
Demolition Order made 20th April, 1964.

3. "Buttermere" House, Church Street, and number 9 Church Street, Dronfield.  
Demolition Order made 20th April, 1964.
  4. Two Cottages, Stubble Hollow (Owners: Fisher and Taylor), Dronfield.  
Demolition Order made 1st June, 1964.
  5. Numbers 32, 32 (Annexe) and 32A Salisbury Road, Dronfield.  
Demolition Order made 7th September, 1964.
  6. Numbers 39 and 41 Green Lane, Dronfield.  
Represented as unfit for human habitation on the 7th September, 1964.
  7. "Aston Towers" Cottages (three houses).  
Represented as unfit for human habitation on the 7th September, 1964.
  8. Numbers 6, 7 and 8 Soaper Lane, Dronfield.  
Represented as unfit for human habitation on the 19th October, 1964.
  9. Numbers 58 60 and 62 Snape Hill Lane, Dronfield.  
Represented as unfit on the 30th November, 1964.
  10. Number 8 Rod Moor Road, Dronfield Woodhouse.  
Represented as unfit on the 30th November, 1964.
- Twenty-five premises were demolished during the year.

## New Housing

The provision of new house building went along very well — 220 new dwellings being completed; of these 196 were private enterprise and 24 Council houses.

The following table shows how house building has taken place since 1946 :—

		Local Authority	Private Enterprise Housing
1946	.....	50	19
1947	.....	76	31
1948	.....	99	12
1949	.....	49	15
1950	.....	6	10
1951	.....	24	6
1952	.....	40	8
1953	.....	4	43
1954	.....	28	53
1955	.....	44	129
1956	.....	10	193
1957	.....	64	181
1958	.....	—	217
1959	.....	10	238
1960	.....	88	225

1961	.....	68	225
1962	.....	48	183
1963	.....	—	94
1964	.....	24	196
		<hr/>	<hr/>
		732	2078
		<hr/>	<hr/>

### Improvement Grants

Twenty Improvement Grants were dealt with during the year 1964. Sixteen of these were for Standard Grants and four for Discretionary Grants.

Eighteen of the applications were from Owner Occupiers—only two being in respect of rented property.

It is still very disappointing that so few Landlords are improving their property by grant aids.

One Standard Grant application was refused.

Standard Grants :—

“Jersey Villa”, Callywhite Lane, Dronfield.

51 Scarsdale Road, Dronfield.

120 Carr Lane, Dronfield Woodhouse.

22 Victoria Street, Dronfield.

7 Wilson Street, Dronfield.

41 Scarsdale Road, Dronfield.

29 Victoria Street, Dronfield.

“Glenmore Villa”, Callywhite Lane, Dronfield (not proceeded with).

“Prospect Farm”, Coal Aston.

“Barnes Farm”, Barnes Lane, Dronfield Woodhouse.

10 Shaw Street, Coal Aston.

11 Egerton Road, Dronfield.

20 Egerton Road, Dronfield.

12 Scarsdale Road, Dronfield.

52 Hallowes Lane, Dronfield.

100 Sheffield Road, Dronfield—refused; not a life of 15 years.

Discretionary Grants :—

The Cottage, Oxclose Lane, Dronfield Woodhouse

23A Lone Acre Road, Dronfield

“Firthwood Cottage”, Callywhite Lane, Dronfield

45 Eckington Road, Coal Aston.

### Rent Act, 1957

Minute reference 590/195, 1963-64.

One Certificate of Disrepair was cancelled during the year on the application of the agent, as all the repair work had been satisfactorily completed.



## Clean Air Act, 1956

Two Deposit Gauges and two Sulphur Candles are sited in the area—one off Lea Road is actually on the Railway embankment south of the Passenger Station; the other is in open ground in the premises of Henry Boot & Sons (Civil Engineering) Ltd., at the end of Callywhite Lane, Dronfield.

Readings for the year 1964 are as follows:—

### LEA ROAD

1964

	Soot Deposit Tons per sq mile	pH value	mg of SO <sub>3</sub> /day per 100 sq. cms. of Pb O <sub>2</sub>	Rainfall in inches
January	8.68	5.1	1.32	0.92
February	9.30	4.5	2.11	0.88
March	19.21	3.0	1.79	4.45
April	11.03	5.2	1.11	2.17
May	16.92	5.6	0.83	1.77
June	11.59	5.5	0.68	2.36
July	17.19	5.9	0.42	1.81
August	7.35	5.7	0.49	1.92
September	9.31	6.3	0.56	0.84
October	8.41	5.1	1.28	1.23
November	9.80	4.9	1.23	1.36
December	9.41	4.5	1.87	2.97
<b>TOTAL</b>	<b>138.20</b>	<b>61.3</b>	<b>13.69</b>	<b>22.68</b>
<b>Monthly Average</b>	<b>11.516</b>	<b>5.108</b>	<b>1.141</b>	<b>1.89</b>

### CALLYWHITE LANE

	Soot Deposit Tons per sq mile	pH value	mg of SO <sub>3</sub> /day per 100 sq. cms. of Pb O <sub>2</sub>	Rainfall in inches
1964				
January	6.78	4.3	1.57	0.91
February	7.45	4.4	1.48	0.91
March	13.59	3.0	1.32	4.39
April	—	—	1.16	—
May	9.86	4.3	0.87	1.64
June	8.89	4.5	0.87	2.36
July	10.34	6.2	0.80	1.66
August	6.54	4.9	0.77	1.96
September	7.45	6.3	1.03	0.65
October	6.17	4.3	0.86	1.25
November	7.05	4.6	Not done	1.14
December	5.94	4.3	1.67	2.54
<b>TOTAL</b>	<b>90.06</b>	<b>51.1</b>	<b>12.40</b>	<b>19.41</b>
<b>Monthly Average</b>	<b>8.187</b>	<b>4.645</b>	<b>1.127</b>	<b>1.764</b>

NOTE—Callywhite Lane figures are for eleven months only due to interference with the instruments.

The following table shows the complete yearly figures for the two sets of instruments with monthly averages:—

Year and Monthly Average	LEA ROAD			CALLYWHITE LANE		
	Deposit Tons per sq. mile	mg. of SO <sub>3</sub> /day per 100 sq. cm. of Pb. O <sub>2</sub>	Rainfall	Deposit Tons per sq. mile	mg. of SO <sub>3</sub> /day per 100 sq. cm. of Pb. O <sub>2</sub>	Rainfall
1959	146.86		21.99	145.75		21.77
Monthly Average	12.238	1.305	1.832	12.146	1.17	1.82
1960	150.73		33.92	112.99		36.96
Monthly Average	12.56	1.574	2.82	9.42	1.48	3.08
1961	119.04		27.07	97.59		26.45
Monthly Average	10.82	1.07	2.26	8.872	1.27	2.20
	(11 mths only)			(11 mths only)		
1962	133.27		23.99	100.18		23.35
Monthly Average	11.106	1.185	2.00	8.35	1.12	1.945
1963	138.55		26.19	88.12		16.40
Monthly Average	11.545	1.243	2.168	9.791	1.129	1.82
				(9 mths only)		(9 mths only)
1964	138.20		22.68	90.06		19.41
Monthly Average	11.516	1.141	1.89	8.187	1.127	1.764
				(11 mths only)		(11 mths only)



The figures basically are not very different from the previous years and I am of the opinion that, until some smoke control areas are put into operation, there cannot be any real improvement.

A report to the Health Committee in June 1964 set in motion the necessary machinery to make Dronfield's first Smoke Control Order—this is in respect of approximately 390 acres in the Gosforth Valley—land which will be developed in the near future.

### Household Refuse Collection and Disposal

The responsibility for the above service was transferred to the Surveyor's department as from the 1st April, 1964, my returns, therefore, cover the first three months of 1964 only.

Salvage sales for January, February and March, 1964 were as follows:—

	T.	C.	Q.	lbs.	£	s.	d.
Waste Paper	56	11	2	23	494	1	2
Textiles	—	8	3	—	4	7	6
Cardboard Cartons					1	5	0
	57	—	1	23	499	13	8

### Slaughter of Animals Act, 1958

Only two persons were granted licences to slaughter or stun animals in a Slaughter House or Knackers Yard for the year ending, 31st December, 1964:—

William Cartledge  
Arthur White

### Food and Drugs Act, 1955

Routine inspection of food premises have been carried out, the pupil Public Health Inspector has helped considerably in this respect—an attempt was also made to check on all the food vans coming into the area: generally, they were in a reasonable condition, but some of these food traders have much to learn about Food Hygiene.

A loaf of bread was brought into the Health department office with a quantity of hessian adhering to the bottom—this was obviously something which had been in the bottom of the tin before the dough was put in.

A piece of prepacked Cheese was found to be affected by a mould growth, this being due to the cellophane wrapper having been punctured.

The following is a list of foodstuffs condemned and destroyed :—

37	packets of frozen Fish.
15	„ „ „ Beef.
2	„ „ „ Chicken.
1 6 lb.	tin of Corned Beef.

**Food Sampling**

Food sampling duties are carried out by the Derbyshire County Council and Mr. J. Markland, B.Sc., F.R.I.C., has given the following information.

60 Food and Drug samples were taken in the Dronfield area during 1964, all were satisfactory except one of “Pure American Lard” which contained an antioxidant, Butylated Hydroxytoluene, the presence of which was not indicated on the label—amended labels are now in use.

Dr. J. B. S. Morgan, County Medical Officer of Health supplied the following information re milk sampling in the Dronfield area.

**Milk (Special Designation) Regulations 1960/63**

Sample Results for the Year 1964

**Raw Tuberculin Tested Milk**

Methylene Blue		Biological	
Satisfactory	Unsatisfactory	Satisfactory	Unsatisfactory
—	—	—	—

**Tuberculin Tested (Pasteurised) Milk**

Methylene Blue		Phosphatase	
Satisfactory	Unsatisfactory	Satisfactory	Unsatisfactory
*4	—	8	—

\* Four samples not done—temperature exceeded 70°F.

**Pasteurised Milk**

Methylene Blue		Phosphatase	
Satisfactory	Unsatisfactory	Satisfactory	Unsatisfactory
—	—	—	—

**Sterilized Milk**

Turbidity	
Satisfactory	Unsatisfactory
3	—

The total number of samples taken was 11.

## Petroleum (Regulation) Acts, 1928 and 1936

Licences to store Petroleum Spirit were granted to the following:—

	Gallons
Banner Plant Ltd.	500
Burnett & Hallamshire Fuel Ltd.	500
Derbyshire County Council	500
Dronfield U.D.C.	500
Wm. Gunstone & Sons Ltd.	7,000
L. J. Hooley & Son	2,000
Wm. Outram & Sons Ltd.	1,000
Woodleigh Garage (Harold Hobson)	1,500
P. & V. (Mining & Engineering) Ltd.	1,000
Prestwich Macadams Ltd.	2,000
Coach & Horses (Eric Dean Taylor)	1,500
Slater Bros.	300
Coal Aston Service Station	6,000
John Carr & Co. (Dronfield) Ltd.	500
Graphoidal Developments Ltd.	500
	<hr/>
	25,300
	<hr/>

The licence issued to L. J. Hooley & Son, Sheffield Road, Dronfield, was transferred to Dronfield Service Station (same site) in October, 1964.

## Damage by Pests Act, 1949

### REPORTS

The reports received of alleged infestations increased from 73 in 1963 to 126 in 1964; in 9 cases only were the reports not justified.

We are still receiving reports from occupiers of new houses, i.e., this follows the pattern of earlier years and will, I am afraid, continue while building on any large scale is carried on.

106 reports were in respect of Rats.

18   "       "       "       "       "       Mice.

6   "       "       "       "       "       Rats and Mice.

1 report was in respect of Moles.

1   "       "       "       "       "       Birds in a food store.

3 reports were of major infestations.

Successful treatment was carried out in all the above cases with the exception of that covering the birds and, I am afraid, considerable difficulty is being experienced here.

## Animal Boarding Establishments Act, 1963

Minute reference 729/241/1963-4. One licence was granted under the above Act to Mrs. B. J. Windle, The Cottage, Mickley Lane, Dronfield Woodhouse. The licence is in respect of cats only.

## Pet Animals Act, 1951

One application was received and approved for the issue of a licence for a Pet Shop at 10 Sheffield Road, Dronfield.

## Factory Act, 1961

1. Inspection for purposes as to health (including inspection by the Public Health Inspector).

Premises (1)	Number on Register (2)	Inspect'n (3)	Number of Written Notice (4)	Occupier Prosecuted (5)
(1) Factories in which Section 1, 2, 3, 4 and 6 enforced by L.A.	2	2	—	—
(2) Factories not included in (1) in which Section 7 is enforced by L.A.	56	19	—	—
(3) Other premises in which Section 7 is enforced by L.A. — (excluding out-workers premises)	— 58	— 21	— —	— —

## Factory Act, 1961

### 2. Cases in which defects were found.

Particulars	Found	Remedied	Referred to H.M. Inspector	Number of cases in which defects were found by H.M. Inspector	Number of cases in which prosecutions were instituted
(1)	(2)	(3)	(4)	(5)	(6)
Want of Cleanliness (S1)	—	—	—	—	—
Overcrowding (S2)	—	—	—	—	—
Unreasonable Temperature (S3)	—	—	—	—	—
Inadequate Ventilation (S4)	—	—	—	—	—
Ineffective drainage of floors (S6)	—	—	—	—	—
Sanitary Conveniences (S7)	—	—	—	—	—
a. Insufficient	—	—	—	—	—
b. Unsuitable or defective	2	2	—	1	—
c. Not separate for sexes	—	—	—	—	—
Other Offences against the Act	—	—	—	—	—
(not including Outworkers)	2	2	—	1	—
TOTAL					

## Factory Act, 1961

### Part VIII

Nature of Work	Section 133				Section 134	
	No. of out-workers in August list required by Section 133(1) (c) (2)	No. of cases of default in sending lists to the Council	No. of prosecutions for failure to supply lists	No. of instances of work in unwholesome premises	Notices served	Prosecutions
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Wearing ) Making apparel ) etc.	—	—	—	—	—	—
) Cleaning ) and ) Washing )						



## Record of Visits During 1964

Alleged dirty houses .....	23
Alterations to existing property .....	25
Animal Boarding Establishments .....	6
Bake houses and food premises .....	113
Caravans .....	2
Cesspools .....	19
Choked drains .....	247
Clean Air Act .....	273
Conversions to W.C's .....	4
Council house maintenance .....	200
Clerk's department .....	10
Drains defective .....	79
Drains tested .....	69
New Drains .....	39
Dust bins .....	285
Factories .....	21
Housing Act 1957 .....	236
Housing defects general .....	80
Ice Cream retailers .....	9
Infectious diseases and food poisoning .....	366
Improvement Grants .....	193
Interviews with Builders, etc. ....	10
Miscellaneous .....	88
Nuisance from Poultry, Animals, etc. ....	16
Noise Abatement Act .....	59
Offices, Shops and Railway Premises Act .....	29
Offensive smells .....	34
Pet Shops .....	4
Petroleum Licences .....	31
Public Conveniences .....	10
Rats, Prevention of Damage by Pests Act .....	488
Refuse Collection and Salvage .....	39
Rent Act, 1957 .....	6
Schools .....	7
Shops Act .....	9
Sinks defective .....	3
Sink waste pipes choked .....	4
W.C. defects .....	35
Choked W.C's .....	1
Water Supplies .....	40
Water Samples .....	36

## Work Carried Out during the Year 1964

Burst water pipes repaired .....	3
Ceiling plaster repaired .....	4
Chimney stacks repaired .....	5
Choked drains cleared .....	27
Choked drains involving a number of premises .....	77
Conversions from Tippler Closet to W.C. ....	2
Defective drains repaired .....	7
Fireplaces repaired .....	5
House doors repaired .....	3
House roofs repaired .....	8
House footpaths repaired or relaid .....	6
New Bathrooms provided .....	12
New Drains constructed .....	4" 212 ft.
New dust bins provided .....	204
New Eaves spouts .....	80 ft.
New fireplaces fitted .....	2
New inspection chambers .....	18
Inspection chambers repaired .....	5
New rain water pipes .....	66 ft.
New sinks fitted .....	12
New trapped gullies .....	14
New wash hand basins .....	13
New W.C's .....	13
New soil pipes .....	123 ft.
New ventilation pipes .....	77 ft.
Sink waste pipes repaired .....	3
W.C's repaired .....	4
Wallplaster repaired .....	3
Nuisance abated—concerning animals .....	3
Offensive smells abated (Electric light fitting) .....	1





